

An aerial photograph of a large white ship's deck, likely a cable-laying vessel. The deck is cluttered with various pieces of equipment, including large spools of white cable, metal railings, and other machinery. Several crew members in orange safety gear are visible on the deck. The ship is moving through dark water, creating a large white wake. A large, semi-transparent orange shape is overlaid on the left side of the image, containing the text 'FLEETLIST' and the 'Seatrade GROUP N.V.' logo.

FLEETLIST


Seatrade
GROUP N.V.

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
A-B-C Klipper class														
BALTIC KLIPPER LIBERIA A8VR5 9454759 2010	(580) 463 708 518 (870) 783 158 899 (870) 773 155 842 (31) 620 433 636	661.636 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,535/574 A 33,228/347 B 26,371/285 C 22,852/238	A 52,395/535 B 46,147/513 C 41,527/464 D 35,690/372	A 52,621/544 B 48,151/547 C 47,070/541 D 34,403/403	A 48,099/486 B 43,413/485 C 40,111/441 D 34,023/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 100 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.balticklipper@seatradefleet.com						tit: 137,986 / 1,444	tit: 175,759 / 1,884	tit: 182,245 / 2,035	tit: 165,646 / 1,755					
ATLANTIC KLIPPER DUTCH PCIU 9454761 2011	(580) 435 385 511 (870) 207 083 329 (31) 651 851 095	661.530 7.118 15.693 10.32	165.00 25.00 14.091 7.603	4 4 16 8	1) 7.00 x 10.50 2) 12.60 x 10.50 3) 12.60 x 10.50 4) 12.60 x 10.50 2.30	FC 55,656/574 A 33,217/347 B 26,365/285 C 22,541/238	A 52,410/535 B 46,162/513 C 41,606/464 D 35,636/372	A 52,659/544 B 48,194/547 C 47,038/541 D 34,397/403	A 48,111/486 B 43,397/485 C 40,114/441 D 34,027/343	1) 267FEU+9TEU OR 552TEU 2) 247FEU+9TEU OR 503TEU 3) 242FEU+9TEU OR 434TEU 4) 48FEU+12TEU OR 108TEU 5) 200	2 CRANES x 40 mt 2 CRANES x 8 mt	1) 21.5 knts @55.5 mt IFO380 2) 2.6 mt IFO380 3) 6.5 mt IFO380 4) 6 mt IFO380	1975 mt IFO380 75 mt MDO	BOWTHRUSTER ICE CLASS IB USDA FITTED CA PRE-PIPED
master.atlanticklipper@seatradefleet.com						tit: 137,779 / 1,444	tit: 175,814 / 1,884	tit: 182,288 / 2,035	tit: 165,649 / 1,755					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Country class														
SWEDISH STREAM BAHAMAS C6KD4 9030149 1992	(580) 430 812 610 (870) 783 903 095 (870) 773 166 646 (31) 630 359 038	645.586 7.565 13.930 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
Master.SwedishStream@Seatradefleet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
SCHWEIZ STREAM BAHAMAS C6KD9 9015216 1992	(580) 430 812 410 (870) 783 903 093 (870) 505 510 02 56 (371) 221 982 43	645.586 7.565 13.930 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
schweizstream@safesatnet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
ITALIA STREAM BAHAMAS C6KD5 9030137 1992	(580) 430 843 810 (870) 783 903 093 (870) 773 166 657 (31) 683 311 420	645.586 7.565 13.930 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
Master.ItaliaStream@Seatradefleet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
HELLAS STREAM BAHAMAS C6KD8 9015187 1991	(580) 430 809 012 (870) 773 281 261 (31) 657 639 912	645.586 7.565 13.930 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 40/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1700 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
Master.HellasStream@Seatradefleet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
NEDERLAND STREAM BAHAMAS C6KD6 9015199 1991	(870) 783 257 885 (870) 773 809 367 (371) 2 220 03 50	645.586 7.565 13.930 10.02	158.13 24.40 13.049 5.353	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,741/494 B 41,537/501 C 40,072/505 D 40,471/475 E 22,976/291	1) 170FEU OR 332TEU 2) 150FEU OR 300TEU 3) 146FEU OR 292TEU 4) 70FEU OR 140TEU 5) 147	0 CONTAINER SPREADER 40FT x 0 mt 2 CRANES x 36/8 mt	1) 20 knts @50 mt IFO380 2) 4 mt IFO380 3) 7.5 mt IFO380 4) 7.5 mt IFO380	1850 mt IFO380 75 mt MDO	USDA FITTED CA PRE-PIPED
nederlandstream@safesatnet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 188.797 / 2.266					
AUTUMN STREAM BAHAMAS C6LF8 9038323 1993	(580) 430 831 510 (870) 773 282 534 (31) 683 202 297	644.331 7.557 13.981 10.02	158.13 24.43 13.077 5.336	4 4 18 7	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.25	A 39,492/404 B 29,456/319 C 24,222/242 D 33,605/395 E 20,662/260	A 45,040/494 B 40,347/480 C 36,544/445 D 33,605/395 E 26,352/332	A 42,744/481 B 40,075/485 C 38,712/484 D 39,538/478 E 26,352/332	A 43,113/490 B 40,910/497 C 40,072/505 D 40,471/475 E 22,976/291	1) 162FEU OR 299TEU 2) 148FEU OR 300TEU 3) 144FEU OR 292TEU 4) 70FEU OR 140TEU 5) 128	2 CRANES x 36/8 mt	1) 20 knts @52 mt IFO380 2) 3 mt IFO380 3) 8.5 mt IFO380 4) 6 mt IFO380	1725 mt IFO380 125 mt MDO	USDA FITTED CA PRE-PIPED
Master.AutumnStream@seatradefleet.com						ttt: 93.170 / 965	ttt: 176.198 / 2.074	ttt: 187.421 / 2.260	ttt: 187.542 / 2.258					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m ²) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES	
						HOLD 1	HOLD 2	HOLD 3	HOLD 4						
L-Strait class															
LOMBOK STRAIT	(580) 463 729 730	626.011	167.00	4	1) 3.30 x 6.00	FC 47,441/555	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER	
LIBERIA	(870) 783 255 418	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B 45,853/543	B 56,447/669	B 48,239/572	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
D5WC6	(870) 773 238 760	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT	
9204958	(31) 613 809 139	10.00	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT	
2002	master.LombokStrait@seatradefleet.com					2.25	tll: 89,931 / 1,057 tll: 160,576 / 1,883 tll: 212,967 / 2,495 tll: 162,537 / 1,905								
LUZON STRAIT		626.011	167.00	4	1) 3.30 x 6.00	FC 47,441/555	A 52,133/615	A 57,199/674	A 48,589/573	1) 220FEU OR 440TEU	2 CRANES x 45 mt	1) 21.5 knts @58 mt IFO380	1850 mt IFO380	BOWTHRUSTER	
LIBERIA	(870) 783 255 328	7.341	25.00	4	2) 3.30 x 6.00	A 27,797/328	B 45,853/543	B 56,447/669	B 48,239/572	2) 206FEU OR 440TEU	4 SIDELOADERS x 12.5 mt	2) 2.5 mt IFO380	175 mt MDO	USDA FITTED	
D5WC5	(870) 773 238 658	15.917	14.413	15	3) 3.30 x 6.00	B 14,693/174	C 38,542/441	C 57,100/653	C 43,309/496	3) 206FEU OR 440TEU		3) 6 mt IFO380		CA PLANT	
9204960	(31) 683 126 172	10.02	7.536	8	4) 3.30 x 6.00	D 24,048/284	D 24,048/284	D 42,221/499	D 22,400/264	4) 206		4) 6 mt IFO380		MA PLANT	
2002	Master.LuzonStrait@seatradefleet.com					2.25	tll: 89,931 / 1,057 tll: 160,576 / 1,883 tll: 212,967 / 2,495 tll: 162,537 / 1,905								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Island class														
ALBEMARLE ISLAND BAHAMAS C6LU3 9059602 1993	(580) 430 851 112 (870) 677 778 509 albemarle@albemarle.tirreme.commbx.com	622.632 7.317 14.140 9.22	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.80 2) 13.70 x 10.80 3) 13.70 x 10.80 4) 13.70 x 10.80 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,770/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 157FEU+10TEU OR 324TEU 2) 156FEU+10TEU OR 322TEU 3) 156FEU+10TEU OR 322TEU 4) 56FEU OR 112TEU 5) 162	4 CRANES x 10 mt	1) 21 knts @59 mt IFO380 2) 4 mt IFO380 3) 8 mt IFO380 4) 6 mt IFO380	1850 mt IFO380 150 mt MDO	USDA FITTED CA PRE-PIPED
BARRINGTON ISLAND BAHAMAS C6QK 9059614 1993	(580) 430 870 110 (870) 3 808 21 14 barrington@barrington.tirreme.commbx.com	622.844 7.317 14.140 9.21	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,982/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 157FEU+10TEU OR 324TEU 2) 156FEU+10TEU OR 322TEU 3) 156FEU+10TEU OR 322TEU 4) 56FEU OR 112TEU 5) 163	4 PALLET CRANES x 8 mt	1) 20 knts @49 mt IFO380 2) 4.4 mt IFO380 3) 9 mt IFO380 4) 7.6 mt IFO380	1825 mt IFO380 150 mt MDO	USDA FITTED CA PRE-PIPED
CHARLES ISLAND BAHAMAS C6JT 9059626 1993	(580) 430 800 315 (870) 677 778 826 charles@charles.tirreme.commbx.com	622.844 7.317 14.140 9.22	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,982/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 157FEU+10TEU OR 324TEU 2) 157FEU+10TEU OR 324TEU 3) 157FEU+10TEU OR 324TEU 4) 56FEU OR 112TEU 5) 163	4 PALLET CRANES x 8 mt	1) 20 knts @49 mt IFO380 2) 4.4 mt IFO380 3) 9 mt IFO380 4) 7.6 mt IFO380	1575 mt IFO380 400 mt MDO	USDA FITTED CA PRE-PIPED
DUNCAN ISLAND BAHAMAS C6JS 9059638 1993	(580) 430 870 411 (870) 677 779 592 duncan@duncan.tirreme.commbx.com	622.844 7.317 14.140 9.22	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,982/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 157FEU+10TEU OR 324TEU 2) 157FEU+10TEU OR 324TEU 3) 157FEU+10TEU OR 324TEU 4) 56FEU OR 112TEU 5) 162	4 CRANES x 10 mt	1) 20 knts @49 mt IFO380 2) 4.4 mt IFO380 3) 9 mt IFO380 4) 7.6 mt IFO380	1575 mt IFO380 400 mt MDO	USDA FITTED
HOOD ISLAND BAHAMAS C6LU4 9059640 1994	(580) 430 851 212 (870) 773 160 155 hood@hood.tirreme.commbx.com	622.844 7.317 14.140 9.21	179.90 25.20 14.061 6.900	4 4 15 8	1) 13.70 x 10.70 2) 13.70 x 10.70 3) 13.70 x 10.70 4) 13.70 x 10.70 2.29	A 53,042/578 B 33,902/395 C 21,507/263 D 29,982/355	A 53,431/594 B 44,814/548 C 39,305/478 D 29,982/355	A 50,182/559 B 46,333/563 C 46,651/564 D 35,986/438	A 50,358/557 B 46,404/560 C 43,472/528 D 27,475/337	1) 157FEU+10TEU OR 324TEU 2) 157FEU+10TEU OR 324TEU 3) 157FEU+10TEU OR 324TEU 4) 56FEU OR 112TEU 5) 163	4 PALLET CRANES x 8 mt	1) 20 knts @49 mt IFO380 2) 4.4 mt IFO380 3) 9 mt IFO380 4) 7.6 mt IFO380	1575 mt IFO380 400 mt MDO	USDA FITTED CA PRE-PIPED

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Ocean class														
ATLANTIC REEFER	(580) 463 715 320	597.139	175.72	4	1) 8.10 x 6.00	A 35,432/399	A 18,457/202	A 18,445/203	A 18,219/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 783 154 643	6.804	22.60	4	2) 8.10 x 6.00	B 26,435/269	B 36,430/433	B 36,037/431	B 39,374/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE2	(870) 773 152 571	17.322	13.055	19	3) 8.10 x 6.00	C 17,273/183	C 37,816/453	C 41,793/497	C 41,631/479	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179256 1998	(31) 620 493 150	9.72	7.580	8	4) 8.10 x 6.00	D 14,038/157	D 33,862/391	D 40,443/479	D 36,454/408	4) 200		4) 6 mt IFO380		
master.atlanticreefer@seatradefleet.com						2.20	E 31,067/339	E 42,544/483	E 31,389/329	5) 200				
						ttl: 93,178 / 1,008	ttl: 157,632 / 1,818	ttl: 179,262 / 2,093	ttl: 167,067 / 1,885					
PACIFIC REEFER	(580) 463 715 295	596.925	175.72	4	1) 8.10 x 6.00	A 35,352/398	A 18,457/202	A 18,445/203	A 18,274/202	1) 102FEU OR 136TEU+34FEU	1 CRANE x 40 mt	1) 20 knts @40 mt IFO380	1150 mt IFO380	USDA FITTED
LIBERIA	(870) 224 089 18	6.803	22.60	4	2) 8.10 x 6.00	B 26,282/268	B 36,430/433	B 36,037/431	B 39,435/467	2) 82FEU OR 80TEU+26FEU	2 CRANES x 36 mt	2) 2 mt IFO380	50 mt MDO	CA PRE-PIPED
D5FE3	(870) 224 089 18	17.322	13.055	19	3) 8.10 x 6.00	C 17,316/181	C 37,816/453	C 41,793/497	C 41,655/480	3) 82FEU OR 80TEU+26FEU	1 CRANE x 8 mt	3) 6 mt IFO380		
9179268 1999	(31) 653 445 603	9.72	7.624	8	4) 8.10 x 6.00	D 14,007/157	D 33,862/391	D 40,443/479	D 36,378/410	4) 200		4) 6 mt IFO380		
master.pacificreefer@seatradefleet.com						2.20	E 31,067/339	E 42,544/483	E 31,332/329	5) 200				
						ttl: 92,957 / 1,004	ttl: 157,632 / 1,818	ttl: 179,262 / 2,093	ttl: 167,074 / 1,888					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
E- & Lady R- class														
EMERALD	(580) 463 729 859	548.718	151.99	4	1) 13.00 x 7.85	A 45,347/489	A 43,758/463	A 45,055/480	A 44,964/478	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 20.5 knts @42 mt IFO380	1425 mt IFO380	USDA FITTED
LIBERIA	(870) 783 158 847	6.244	23.00	4	2) 13.00 x 7.85	B 25,886/307	B 37,499/435	B 40,029/481	B 39,529/474	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
D5WC7	(870) 773 239 061	12.734	10.532	16	3) 13.00 x 7.85	C 20,176/215	C 30,996/380	C 38,722/476	C 35,026/432	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9202857	(49) 408 740 71 24	9.67	5.406	8	4) 13.00 x 7.85	D 8,608/107	D 26,242/283	D 37,203/434	D 29,678/309	4) 36FEU OR 72TEU		4) 6 mt IFO380		
2000	emerald@safesatnet.com				2.20	ttd: 100.017 / 1.118 ttd: 138.495 / 1.561 ttd: 161.009 / 1.871 ttd: 149.197 / 1.693				5) 106				
ELVIRA	(580) 463 791 024	548.666	151.99	4	1) 13.00 x 7.85	A 45,265/488	A 43,548/462	A 44,965/479	A 44,996/479	1) 106FEU OR 212TEU	2 CRANES x 36 mt	1) 20.5 knts @42 mt IFO380	1425 mt IFO380	USDA FITTED
LIBERIA	(870) 773 303 194	6.244	23.00	4	2) 13.00 x 7.85	B 25,978/308	B 37,352/436	B 39,924/480	B 39,681/476	2) 106FEU OR 212TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
A8IP2	(870) 773 303 194	12.734	10.532	16	3) 13.00 x 7.85	C 20,234/215	C 31,000/381	C 38,749/476	C 35,093/432	3) 106FEU OR 212TEU		3) 5.5 mt IFO380		
9202869	(371) 222 003 65	9.67	5.406	8	4) 13.00 x 7.85	D 8,595/107	D 26,323/283	D 37,271/434	D 29,692/308	4) 36FEU OR 72TEU		4) 6 mt IFO380		
2000	Elvira@safesatnet.com				2.20	ttd: 100.072 / 1.118 ttd: 138.223 / 1.562 ttd: 160.909 / 1.869 ttd: 149.462 / 1.695				5) 106				

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxtm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Mermaid class														
PACIFIC MERMAID	(580) 463 791 599	540.572	141.80	4	1) 7.60 x 7.10	UPI 6,938/69	UPI 6,862/69	UPI 6,862/69	UPI 6,862/69	1) 73FEU OR 140TEU+13FEU	2 CRANES x 30 mt	1) 19 knts @33.5 mt IFO380	1250 mt IFO380	USDA FITTED
LIBERIA	(870) 783 255 523	6.075	22.80	4	2) 7.60 x 7.10	A 37,211/416	A 35,358/418	A 35,598/426	A 39,718/475	2) 65FEU OR 80TEU+9FEU	2 CRANES x 10 mt	2) 2.5 mt IFO380	150 mt MDO	CA PRE-PIPED
A&JJS	(870) 773 238 899	10.461	9.820	20	3) 7.60 x 7.10	B 31,028/306	B 34,353/401	B 35,770/429	B 39,910/475	3) 65FEU OR 80TEU+9FEU		3) 5.5 mt IFO380		
9045924 1992	(49) 152 549 276 24	8.82	3.538	8	4) 7.60 x 7.10	C 20,420/213 D 14,864/161	C 32,628/355 D 25,573/269	C 35,661/427 D 34,006/378	C 33,663/383 D 27,287/267	4) 5) 65		4) 6 mt IFO380		
master.pacificmermaid@seatrdefleet.com						tti: 110.461 / 1.165	tti: 134.774 / 1.512	tti: 147.897 / 1.729	tti: 147.440 / 1.669					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cbr) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cbr/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Ivory class														
REGAL BAY	(580) 431 190 710	526.250	150.01	4	1) 13.20 x 8.50	A 38,787/375	A 43,081/440	A 43,960/459	A 45,539/464	1) 67FEU OR 154TEU	2 CRANES x 35 mt	1) 20 knts @39.5 mt IFO380	1325 mt IFO380	USDA FITTED
BAHAMAS	(870) 783 158 863	5.851	22.50	4	2) 13.20 x 10.50	B 26,712/261	B 35,361/419	B 38,642/462	B 37,367/444	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	75 mt MDO	CA PRE-PIPED
C6UG6	(870) 773 238 249	10.520	10.375	15	3) 13.20 x 10.50	C 16,993/178	C 31,610/379	C 38,271/461	C 34,873/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380		
9053658	(31) 612 588 249	9.07	5.253	8	4) 13.20 x 10.50	D 27,768/314	D 36,456/434	D 30,830/348	D 30,830/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380		
1993	master.regalbay@seatradefleet.com					ttd: 82,492 / 814 ttd: 137,820 / 1,552 ttd: 157,329 / 1,816 ttd: 148,609 / 1,669								
FEGULUS	(580) 431 400 510	526.141	150.01	4	1) 13.20 x 8.90	FC 38,907/375	A 42,960/440	A 43,960/459	A 45,524/462	1) 67FEU OR 154TEU	2 CRANES x 36 mt	1) 20 knts @39.5 mt IFO380	1200 mt IFO380	USDA FITTED
BARBADOS	(870) 311 33 44 775	5.849	22.50	4	2) 13.20 x 10.50	A 26,754/261	B 35,333/419	B 38,631/462	B 37,360/444	2) 46FEU OR 92TEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	125 mt MDO	CA PRE-PIPED
BPTX	(870) 311 33 44 775	10.545	10.374	15	3) 13.20 x 10.50	B 16,994/178	C 31,582/379	C 38,254/461	C 34,842/413	3) 46FEU OR 92TEU		3) 5.5 mt IFO380		
9055709	(31) 620 315 417	9.07	5.253	8	4) 13.20 x 10.50	D 27,744/314	D 36,438/434	D 30,858/348	D 30,858/348	4) 54FEU OR 108TEU		4) 5.5 mt IFO380		
1993	Master.Fegulus@Seatradefleet.com					ttd: 82,655 / 814 ttd: 137,619 / 1,552 ttd: 157,283 / 1,816 ttd: 148,584 / 1,667								
ATLANTIC ACANTHUS	(580) 431 100 830	504.511	144.52	4	1) 8.10 x 6.00	A 35,388/379	A 35,942/401	A 36,223/407	A 36,081/406	1) 88FEU OR 120TEU+28FEU	2 CRANES x 36 mt	1) 20 knts @34.5 mt IFO380	1175 mt IFO380	USDA FITTED
BAHAMAS	(870) 773 188 945	5.759	21.80	4	2) 8.10 x 6.60	B 27,011/302	B 34,141/401	B 35,862/428	B 35,605/423	2) 88FEU OR 120TEU+28FEU	2 CRANES x 8 mt	2) 2.5 mt IFO380	100 mt MDO	CA PRE-PIPED
C6ZG7	(870) 773 188 945	11.788	9.649	16	3) 8.10 x 6.60	C 20,256/229	C 30,424/355	C 34,748/416	C 32,344/372	3) 88FEU OR 120TEU+28FEU		3) 6.5 mt IFO380		
9189897	(30) 695 633 00	9.18	5.349	8	4) 8.10 x 6.60	D 17,494/210	D 23,071/320	D 35,736/417	D 28,185/293	4) 5) 80		4) 5.5 mt IFO380		
1999	Master.acanthus@gships.com					ttd: 100,149 / 1,120 ttd: 129,578 / 1,477 ttd: 142,569 / 1,668 ttd: 132,215 / 1,494								

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Cold Stream class														
COLD STREAM	(580) 430 621 610	456.785	140.00	4	1) 7.00 x 11.00	A <u>36,059/352</u>	A 37,941/431	A 35,880/409	A 38,024/434	1) 117FEU+12TEU OR 238TEU	4 CRANES x 20 mt or 2 x 40 mt IN TWIN	1) 20.5 knts @41.5 mt IFO380	975 mt IFO380	BOWTHRUSTER
DUTCH	(870) 783 156 302	5.217	22.00	4	2) 7.00 x 11.00	B <u>24,246/264</u>	B <u>34,930/411</u>	B <u>33,565/398</u>	B <u>34,945/399</u>	2) 114FEU+8TEU OR 180TEU		2) 2 mt IFO380	125 mt MDO	USDA FITTED
PJRH	(870) 773 153 745	10.086	8.414	15	3) 7.00 x 11.00	C 15,413/159	C 33,080/389	C 34,333/412	C 31,960/364	3) 114FEU+8TEU OR 180TEU		3) 4.5 mt IFO380		CA PRE-PIPED
9051791	(31) 651 081 462	9.32	4.542	9	4) 7.00 x 11.00		D 21,236/254	D 25,347/303	D 19,826/237	4) 57TEU		4) 4.5 mt IFO380		
1994					2.20					5) 106				
	master.coldstream@seatradefleet.com					ttl: 75,718 / 775	ttl: 127,187 / 1,485	ttl: 128,125 / 1,522	ttl: 124,755 / 1,434					

NAME FLAG CALL SIGN IMOLLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (m/m) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/M E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
Bay class														
RUNAWAY BAY RUSSIAN FEDERATION UBGP6 9019640 1992	(580) 427 309 643 (870) 783 200 803 (870) 773 157 486 (31) 651 513 344	516.227 5.852 11.581 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,068/350 B 22,700/210 C 12,377/142 D 11,890/140	UPI 8,706/104 A 35,501/427 B 33,719/377 C 31,079/371 D 27,817/288	UPI 8,593/104 A 37,219/454 B 38,627/434 C 38,729/457 D 35,837/409	UPI 8,251/104 A 36,030/438 B 36,816/409 C 32,770/378 D 25,498/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 29	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	750 mt IFO380 100 mt MDO	USDA FITTED
master.runawaybay@seatradefleet.com						tit: 81,035 / 842	tit: 136,822 / 1,567	tit: 159,005 / 1,858	tit: 139,365 / 1,584					
ACONCAGUA BAY LIBERIA A8KY9 9019652 1992	(580) 463 792 396 (870) 783 200 908 (870) 773 157 569 (31) 622 557 852	512.361 5.894 11.581 9.42	148.50 20.60 9.074 5.844	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 34,096/364 B 22,703/211 C 12,401/145 D 11,750/142	UPI 8,815/109 A 36,070/429 B 33,005/378 C 30,961/368 D 25,941/285	UPI 8,833/103 A 37,515/458 B 37,100/437 C 38,387/461 D 35,763/412	UPI 8,739/103 A 36,205/442 B 36,090/412 C 32,513/381 D 25,474/255	1) 19FEU OR 20TEU 2) 19FEU OR 20TEU 3) 4) 5) 19	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380 AND 0.3 mt MDO	825 mt IFO380 100 mt MDO	USDA FITTED
master.aconcaguabay@seatradefleet.com						tit: 80,950 / 862	tit: 134,792 / 1,569	tit: 157,598 / 1,871	tit: 139,021 / 1,593					
FUJI BAY LIBERIA A8OL6 8920141 1990	(580) 463 701 537 (870) 783 201 055 (870) 773 157 696 (31) 651 081 458	502.514 5.858 11.540 9.42	148.50 20.60 9.070 5.838	4 4 19 8	1) 10.00 x 7.50 2) 12.60 x 8.20 3) 12.60 x 8.20 4) 12.60 x 8.20 2.20	A 33,333/350 B 21,737/206 C 12,056/141 D 10,934/135	UPI 8,402/101 A 34,447/421 B 32,335/377 C 31,075/369 D 25,970/286	UPI 8,541/103 A 37,115/460 B 36,526/438 C 38,431/462 D 35,368/414	UPI 8,541/103 A 35,258/443 B 35,107/417 C 32,878/379 D 24,460/252	1) 14TEU 2) 14TEU 3) 4) 5) 14	8 DERRICKS x 7 mt or 4 x 5 mt IN UP	1) 17.3 knts @23 mt IFO380 2) 2 mt IFO380 3) 5 mt IFO380 4) 4 mt IFO380	775 mt IFO380 100 mt MDO	USDA FITTED
master.fujibay@seatradefleet.com						tit: 78,060 / 832	tit: 132,229 / 1,554	tit: 155,981 / 1,877	tit: 138,244 / 1,594					
EVEREST BAY LIBERIA A8KZ3 8911073 1989	(580) 463 792 240 (870) 783 202 036 (870) 773 158 571 (31) 651 294 346	449.201 5.219 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,457/70 A 25,494/277 B 18,572/201 C 15,629/179 D 26,063/285	UPI 7,737/85 A 32,634/401 B 31,630/373 C 30,027/353 D 29,021/339	UPI 7,777/85 A 29,856/370 B 29,492/350 C 30,775/371 D 29,021/339	UPI 7,824/85 A 31,808/395 B 31,858/374 C 31,956/369 D 24,591/257	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	900 mt IFO380 175 mt MDO	USDA FITTED
master.everestbay@seatradefleet.com						tit: 66,152 / 727	tit: 128,091 / 1,497	tit: 126,921 / 1,515	tit: 128,037 / 1,480					
WHITNEY BAY LIBERIA A8KZ8 8911085 1990	(580) 463 792 236 (870) 783 208 722 (870) 773 235 380 (31) 653 526 904	449.175 5.208 9.687 8.51	141.01 20.60 8.739 4.085	4 4 19 8	1) 7.35 x 6.00 2) 8.10 x 6.00 3) 8.10 x 6.00 4) 8.10 x 6.00 2.20	UPI 6,421/70 A 25,417/275 B 18,687/201 C 15,596/176 D 26,011/284	UPI 7,778/85 A 32,767/401 B 31,765/373 C 30,114/353 D 28,904/339	UPI 7,812/85 A 29,907/370 B 29,517/350 C 30,728/370 D 28,904/339	UPI 7,771/85 A 31,791/395 B 31,808/373 C 31,914/367 D 24,467/255	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @24.5 mt IFO380 2) 2 mt IFO380 3) 4.5 mt IFO380 4) 4.5 mt IFO380	700 mt IFO380 25 mt MDO	USDA FITTED
master.whitneybay@seatradefleet.com						tit: 66,121 / 722	tit: 128,435 / 1,496	tit: 126,868 / 1,514	tit: 127,751 / 1,475					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ I/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
GSC														
LAGOON PHOENIX DUTCH PJFT 9047245 1993	(580) 430 614 010 (870) 783 208 880 (870) 773 236 016 (31) 612 512 549	400.884 4.544 8.044 7.57	134.02 20.80 7.313 4.808	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.lagoonphoenix@seatradefleet.com						ttt: 63,104 / 731	ttt: 103,011 / 1,185	ttt: 117,525 / 1,347	ttt: 117,243 / 1,281					
WATER PHOENIX DUTCH PJFQ 9045168 1992	(580) 430 613 910 (870) 783 205 766 (870) 773 238 949 (31) 630 363 392	400.884 4.544 8.075 7.57	134.02 20.80 7.303 4.812	4 4 15 8	1) 7.40 x 7.30 2) 7.40 x 7.30 3) 7.40 x 7.30 4) 7.40 x 7.30 2.20	A 30,048/341 B 19,090/227 C 13,966/163 D 23,189/270	A 20,569/228 B 30,875/346 C 28,378/341 D 23,189/270	A 20,438/230 B 34,494/371 C 32,265/391 D 30,328/355	A 23,714/267 B 38,662/422 C 31,418/355 D 23,449/237	1) 6FEU OR 12TEU 2) 6FEU OR 12TEU 3) 4) 5) 12	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	825 mt IFO380 125 mt MDO	USDA FITTED
master.waterphoenix@seatradefleet.com						ttt: 63,104 / 731	ttt: 103,011 / 1,185	ttt: 117,525 / 1,347	ttt: 117,243 / 1,281					
SIERRA QUEEN DUTCH PJFC 9127928 1996	(580) 430 613 610 (870) 783 254 675 (870) 773 157 805 (31) 651 081 437	398.470 4.736 7.947 7.91	133.92 16.31 5.918 3.177	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 27,165/302 B 23,256/270 C 18,568/213 D 15,778/177	A 30,217/352 B 28,702/351 C 27,896/346 D 27,511/326	A 27,932/323 B 26,458/324 C 25,987/324 D 26,246/313	A 28,344/328 B 26,589/325 C 23,579/287 D 14,242/174	1) 45FEU OR 90TEU 2) 27FEU OR 54TEU 3) 4) 40TEU 5) 25	4 CRANES x 7 mt	1) 17.5 knts @27.5 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.6 mt MGO	875 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.sierraqueen@seatradefleet.com						ttt: 84,767 / 962	ttt: 114,326 / 1,375	ttt: 106,623 / 1,284	ttt: 92,754 / 1,114					
GREEN CHILE BAHAMAS C6WH7 8912156 1992	(580) 431 105 110 (870) 783 201 736 (870) 773 158 314 (48) 506 367 860	375.477 4.497 7.721 8.85	131.25 19.60 7.743 3.726	3 3 12 7	1) 8.33 x 4.68 2) 8.33 x 4.68 3) 8.33 x 4.68 4) 8.33 x 4.68 2.20	A 38,741/442 B 30,442/355 C 21,966/263 D 10,842/137	A 38,883/453 B 37,823/454 C 33,338/421 D 28,147/339	A 38,671/451 B 38,070/458 C 30,725/390 D 27,829/334		1) 45FEU OR 89TEU+4FEU 2) 30FEU OR 54TEU+4FEU 3) 30FEU OR 54TEU+4FEU 4) 5) 29	1 CRANE x 34/17 mt 3 PALLET CRANES x 8 mt	1) 19 knls @31 mt IFO380 2) 2.5 mt IFO380 3) 5 mt IFO380 4) 4.5 mt IFO380	950 mt IFO380 100 mt MDO	USDA FITTED CA PRE-PIPED
bridge@chile.greenfleet.no						ttt: 101,991 / 1,197	ttt: 138,191 / 1,667	ttt: 135,295 / 1,633	ttt: 0 / 0					
PRINCE OF SEAS DUTCH PJFH 9014444 1993	(580) 430 600 217 (870) 783 255 293 (870) 773 238 609 (31) 630 363 473	371.412 4.121 7.387 7.77	130.50 19.00 6.363 4.297	4 4 15 8	1) 6.20 x 7.40 2) 6.20 x 7.40 3) 6.20 x 7.40 4) 6.20 x 7.40 2.20	A 30,348/331 B 23,755/240 C 18,304/196 D 25,429/265	A 15,355/184 B 31,218/340 C 29,276/338 D 25,429/265	A 13,568/166 B 29,630/330 C 28,000/331 D 27,993/297	A 15,309/187 B 31,135/355 C 28,510/320 D 23,582/241	1) 49FEU+2TEU OR 60TEU+3FEU 2) 45FEU OR 42TEU 3) 28FEU OR 28TEU 4) 5) 47	1 CRANE x 36 mt 8 DERRICKS x 5 mt or 4 x 5 mt IN UP	1) 18.5 knts @27.5 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 4 mt IFO380	800 mt IFO380 125 mt MDO	BOWTHRUSTER USDA FITTED
master.princeofseas@seatradefleet.com						ttt: 72,407 / 767	ttt: 101,278 / 1,127	ttt: 99,191 / 1,124	ttt: 98,536 / 1,103					
COOL EXPRESO DUTCH PDKK 9085479 1994	(580) 424 531 712 (870) 783 151 342 (870) 773 252 116 (31) 651 920 359	362.351 4.313 7.505 8.01	126.29 16.31 5.471 2.978	4 4 16 8	1) 8.10 x 8.08 2) 8.10 x 8.08 3) 8.10 x 8.08 4) 8.10 x 8.08 2.20	A 23,274/266 B 20,856/232 C 16,400/186 D 13,528/153	A 27,723/327 B 26,964/327 C 25,986/320 D 25,115/301	A 26,416/310 B 25,739/313 C 25,244/314 D 25,001/301	A 24,521/287 B 23,687/288 C 20,539/248 D 11,357/140	1) 31FEU+4TEU OR 66TEU 2) 20FEU+2TEU OR 42TEU 3) 4) 40TEU 5) 20	2 CRANES x 7 mt	1) 17.3 knts @24 mt IFO380 2) Shaft generator 3) Shaft generator 4) 3.5 mt MGO	825 mt IFO380 75 mt MGO	BOWTHRUSTER USDA FITTED CA PRE-PIPED
master.coolexpreso@seatradefleet.com						ttt: 74,058 / 837	ttt: 105,788 / 1,275	ttt: 102,400 / 1,238	ttt: 80,104 / 963					
ORANGE STREAM DUTCH 9795983 2019		323.318 3.373 7.158 7.50	115.10 18.00 6.045 3.269	4 4 12 8	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,992/315 B 25,025/274 C 22,744/202	A 28,184/284 B 24,955/289 C 28,118/283	A 28,081/283 B 24,874/289 C 28,126/289	A 30,190/310 B 27,377/314 C 23,653/239	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 2) 3) 4)	625 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
master.OrangeStream@Seatradefleet.com						ttt: 79,761 / 791	ttt: 81,257 / 856	ttt: 81,081 / 861	ttt: 81,220 / 863					
ORANGE STRAIT DUTCH PJDE 9795995 2019		322.829 3.367 7.158 7.50	115.10 18.00 6.045 3.269	4 4 12 8	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 32,076/315 B 25,028/273 C 22,623/201	A 27,984/285 B 25,018/289 C 28,059/283	A 27,978/284 B 24,814/289 C 28,050/288	A 30,303/310 B 27,209/315 C 23,687/237	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 2) 3) 4)	625 mt IFO380 50 mt MGO	BOWTHRUSTER USDA FITTED
master.OrangeStrait@Seatradefleet.com						ttt: 79,727 / 789	ttt: 81,061 / 857	ttt: 80,842 / 861	ttt: 81,199 / 862					

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWAT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIRES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTIES ON DECK 2) LADEN ON DECK 3) SELF-SUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ 1/16 CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) SELF-SUSTAINED LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3	HOLD 4					
ORANGE SPIRIT BAHAMAS C6DL6 9795969 2018	master.OrangeSpirit@Seatradefleet.com	323.036	115.10	4	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,905/315 B 24,910/272 C 22,844/203	A 27,977/284 B 25,115/289 C 28,061/283	A 28,023/284 B 24,874/289 C 28,111/288	A 30,065/308 B 27,427/314 C 23,725/239	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 625 mt IFO380 2) 50 mt MGO	BOWTHRUSTER USDA FITTED	
ORANGE SEA BAHAMAS C6DL7 9795971 2019	master.OrangeSea@Seatradefleet.com	322.174	115.10	4	1) 7.00 x 8.40 2) 7.00 x 8.40 3) 7.00 x 8.40 4) 7.00 x 8.40 2.40	A 31,757/315 B 24,586/274 C 23,225/204	A 27,993/286 B 24,410/290 C 28,261/284	A 27,900/286 B 24,603/289 C 28,358/290	A 29,928/310 B 26,664/315 C 24,489/239	1) 72FEU OR 149TEU 2) 63FEU OR 149TEU 3) 4) 5) 52	8 DERRICKS x 7 mt or 4 x 7 mt IN UP	1) 625 mt IFO380 2) 50 mt MGO	BOWTHRUSTER USDA FITTED	
NOVA FLORIDA DUTCH PJJP 8813635 1989	master.novafiorida@seatradefleet.com	(580) 430 675 210 (870) 783 155 868 6.729 7.52	298.320 124.70 17.80 5.476 3.559	4 4 16 8	1) 6.20 x 7.30 2) 6.20 x 7.30 3) 6.20 x 7.30 4) 6.20 x 7.30 2.20	A 13,382/158 B 18,440/205 C 15,157/173 D 12,033/131	A 12,024/140 B 22,684/277 C 23,062/275 D 20,920/235	A 11,148/129 B 20,945/261 C 21,813/268 D 21,389/257	A 13,583/160 B 25,596/315 C 25,093/299 D 21,051/228	1) 2) 3) 4) 5)	8 DERRICKS x 5 mt or 4 x 3.5 mt IN UP	1) 17 knts @18 mt IFO380 2) 1.5 mt IFO380 3) 4 mt IFO380 4) 3 mt IFO380	700 mt IFO380 75 mt MDO	USDA FITTED
SIERRA LARA BAHAMAS C6DI3 9120205 1996	master.sierralara@seatradefleet.com	(580) 431 103 336 (870) 783 159 637 5.970 6.70	260.050 117.50 17.50 5.110 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	1100 mt IFO380 375 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LAUREL DUTCH PJBQ 9163403 1998	master.sierralaurel@seatradefleet.com	(580) 430 600 093 (870) 783 155 451 5.972 6.70	260.050 117.50 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 500 mt MGO	BOWTHRUSTER USDA FITTED
SIERRA LEYRE BAHAMAS C6DL3 9135822 1997	master.sierraleyre@seatradefleet.com	(580) 431 103 490 (870) 784 877 251 5.972 6.70	260.050 117.50 17.50 5.100 2.314	4 4 12 5	1) 7.40 x 7.60 2) 7.40 x 7.60 3) 7.40 x 7.60 4) 7.40 x 7.60 2.20	B 16,070/183 C 13,580/155	B 25,540/273 C 22,350/260 D 21,900/254	B 25,880/277 C 22,960/267 D 23,280/270	B 25,170/268 C 21,760/252 D 21,840/263	1) 16FEU+9TEU OR 41TEU 2) 16FEU+9TEU OR 41TEU 3) 4) 27TEU 5) 41	4 CRANES x 5 mt	1) 16 knts @17.5 mt IFO380 2) Shaft generator 3) Shaft generator + 1.5 mt MGO 4) 2.5 mt MGO	675 mt IFO380 650 mt MGO	BOWTHRUSTER USDA FITTED
NOVA ZEELANDIA RUSSIAN FEDERATION UBSR2 8514784 1986	master.novazeelandia@seatradefleet.com	(580) 427 312 840 (870) 763 224 266 (870) 763 224 264 (31) 651 585 328	238.985 115.00 16.80 3 4.440 2.855	3 3 9 6	1) 8.00 x 6.00 2) 8.00 x 6.00 3) 8.00 x 6.00 2.20	A 26,874/284 B 19,305/216 C 14,999/164	A 32,174/365 B 29,825/352 C 26,633/289	A 32,257/367 B 30,179/354 C 26,739/293	1) 4FEU OR 4TEU+2FEU 2) 4FEU OR 4TEU+2FEU 3) 4) 5) 6	6 DERRICKS x 4 mt or 3 x 4 mt IN UP	1) 16 knts @14 mt IFO380 2) 1 mt IFO380 AND 0.5 mt MDO 3) 2.5 mt IFO380 AND 0.5 mt MDO 4) 1.9 mt IFO380 AND 0.6 mt MDO	725 mt IFO380 100 mt MDO	USDA FITTED	
COPPENNAME DUTCH PJYM 8807636 1990	master.coppenname@seatradefleet.com	(580) 430 686 211 (870) 783 154 580 (870) 784 846 083 (31) 651 081 602	212.102 108.80 16.40 3 4.666 2.145	3 3 10 6	1) 7.50 x 5.20 2) 7.50 x 5.20 3) 7.50 x 5.20 2.20	FC 21,613/258 A 23,096/250 B 17,940/213 C 12,148/138	A 23,025/265 B 22,001/261 C 21,860/248	A 24,509/284 B 23,767/284 C 22,143/252	1) 4FEU+6TEU OR 14TEU 2) 4FEU+6TEU OR 14TEU 3) 4) 18TEU 5) 14	3 CRANES x 5 mt	1) 15 knts @12.5 mt IFO380 2) 1.5 mt IFO380 3) 3 mt IFO380 4) 2 mt IFO380	575 mt IFO380 450 mt MDO	USDA FITTED	

NAME FLAG CALL SIGN IMO/LLOYDS NO BUILT	TELEX FAX PHONE MOBILE E-MAIL	CAPACITY (cub) FLOORSPACE (sqm) DWT (mt) DRAFT (m)	LOA (m) BEAM (m) GT NT	HOLDS HATCHES COMPARTMENTS COOL SECTIONS SIDEPORTS	SIZES HATCH OPENINGS WEATHERDECK (mxm) MIN DECKHEIGHT (m)	CAPACITY/FLOORSPACE PER COMPARTMENT (cub/sqm)				CONTAINERS 1) EMPTY ON DECK 2) LADEN ON DECK 3) SELFSUSTAINED ON DECK 4) IN HOLDS 5) REEFER PLUGS	CARGO GEAR	1) SPEED @ M/E CONSUMPTION 2) A/E CONSUMPTION BALLAST 3) A/E CONSUMPTION LADEN 4) A/E CONSUMPTION IN PORT	MAX. BUNKER CAPACITY (MT)	SPECIAL FEATURES
						HOLD 1	HOLD 2	HOLD 3						

General remarks

Not to be used for time charter description. Particulars believed to be correct but not guaranteed.
Speed and consumptions figures are based on banana laden condition without containers on deck in fair weather conditions.
Consumptions are in metric tons per 24 hours.

Fuel according ISO 8217:2005 norm

IFO380 - RMA300
IFO180 - RME180
IFO30 - RMA30
MDO - DMB
MGO - DMA

Compartment breakdown

Dashed underline stands for a 'spar' or 'fruit' deck.
Single underline stands for a deck with independent air circulation, but not insulated
Double underline stands for an insulated deck.

Containers

Laden container intake is based on maximum stackweights and forty-foot units of 26 mt and twenty-foot units of 14 mt.
Self-sustained containers stands for the maximum amount of 'laden' containers that can be lifted with own gear.
Total number of containers on deck remains subject to master's approval depending on lashing, stability and visibility rules.

E-mail

Sending e-mail to ships can be subjected to:
- The size of the message (inc. attachments).
- Sender's e-mail address being white listed.
- Having an account with a service provider.